



Reducing Diffusion Limitation Shifts the Dominant Nitrate Reduction Metabolism from Incomplete Denitrification to Dissimilatory Nitrate Reduction to Ammonium

Pedersen, Lasse; Dechesne, Arnaud; Smets, Barth F.

Publication date:
2015

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Pedersen, L., Dechesne, A., & Smets, B. F. (2015). *Reducing Diffusion Limitation Shifts the Dominant Nitrate Reduction Metabolism from Incomplete Denitrification to Dissimilatory Nitrate Reduction to Ammonium*. Abstract from The Danish Microbiological Society Annual Congress 2014, Copenhagen, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

REDUCING DIFFUSION LIMITATION SHIFTS THE DOMINANT NITRATE REDUCTION METABOLISM FROM INCOMPLETE DENITRIFICATION TO DISSIMILATORY NITRATE REDUCTION TO AMMONIUM

Pedersen, Lasse L.; Dechesne, Arnaud; Smets, Barth F.

Department of Environmental Engineering, Technical University of Denmark

Soil is a key compartment for the global Nitrogen cycle, with bacteria playing a major role both in nitrification and denitrification. This cycle is often considered at a large scale, but it is the conditions experienced 'locally' by the bacteria that set what type of metabolism can take place. These conditions, and especially the redox conditions, are likely controlled by diffusive processes.

In this study we investigate how modulating diffusion limitation impacts on biological nitrate reduction in a soil system. To this end, we have constructed an array of columns, all fed a solution of nitrate and containing the same amount of litter-rich soil encased in alginate – but varying in how the soil aggregates are spatially distributed and in the amount of potentially reactive soil aggregate surface. The effluent was analyzed for nitrate-, nitrite-, ammonium-, nitrous oxide-, and TOC-concentration, pH and amount of microorganisms. In addition, at the end of the after the experiment the columns were analyzed using qPCR targeted at key genes in the denitrification pathways.

The results show that going from a high level of diffusive limitation to a low level shifts the system from incomplete denitrification with production of nitrite and nitrous oxide to DNRA. Diffusion limitation thus impacts strongly Nitrogen biogeochemical pathways in this system rich in organic carbon. This highlights the importance of microniches in soil functioning and in the global biogeochemical cycle.